

HAIGER

GERMAN TECHNOLOGY SPC FLOOR




360°



18 cm x 122 cm x 4 mm

12 pcs / box (2,63 m2)

HL-401



HL-402



HL-403



HL-404



Image color may be differ from the actual color of the product


HL-405



HL-406



HL-407



HL-408



Stone Plastic Composite

HL-409



HL-410



HL-411




HL-412



Image color may be differ from the actual color of the product

GERMANY CLICK CERTIFIED

	Testing items	Testing method	Testing Result
	Size	EN427	<0.13%
	Squareness/Straightness	EN427	≤0.2mm
	Overall Thickness (4.0mm)	EN428	±0.2mm
	Warp	EN434	±1.0mm
	Peeling Resistance	EN431	≥80N/50mm
	Dimension stability	EN434	SPC ≤0.1%
	Wear Resistance	EN660-2	≤0.015g/1000turns
	Slip resistance	EN13893	Class DS
	Castor chair test	EN425	No delamination/ No disturbance
	Redidual indentation	EN433	≤0.10mm
	Mildew resistance	ASTM G21	Level1
	Toxicity	EN71-3	PASS
	Corrosion resistance	EN423	Level0
	Color fastness	ISO105-B02-3	>6
	Fire resistance	EN13501-1	Bf1-S1
	Fumes Toxicity	BS6853	R<1.0
	Strength of the joined clicks		≥14kg/50mm
	Gloss		±2°

HAIGER

GERMAN TECHNOLOGY SPC FLOOR